


Eon-C®

FOOD SUPPLEMENT BASED ON ASCORBIC ACID (VITAMIN C), MAQUI BERRY AND ZINC, TO ENHANCE THE NORMAL FUNCTION OF IMMUNE SYSTEM AND TO PROTECT CELLS AGAINST OXIDATIVE



Eon-C®


is a food supplement unique for formulation, dose and quality: each tablet contains 1000mg of ascorbic acid, 150mg of Maqui berry freeze dried and 20mg of Zinc in synergy.

EON-C®

Active ingredients:

Vitamin C, that contributes to the normal functioning of the immune system (1,4), to the normal collagen synthesis (5), to the normal energy metabolism (6), to protect cells against oxidative stress (7) and to reduce tiredness and fatigue (6,8). Maqui (*Aristotelia Chilensis*), a berry from the Patagonia region of Chile, with great energizing and antioxidative properties, against free radicals.

Zinc, a mineral that contributes to the normal functioning of the immune system, to the protection of cells against oxidative stress and to the normal metabolism of macronutrients.



WHEN TO USE EON-C

INDICATIONS of use, according to Evidence Based Medicine:

- To enhance the immune system (1,4)
- To provide an energy charge for body well-being (8)
- To act against oxidative stress, due to high antioxidative potentiality of vitamin C and Maqui berry combined (2, 3, 9)
- To counteract free radicals (7)
- To reduce tiredness and fatigue (6)
- To optimize sport activity (6, 8)
- To enhance the normal function of blood vessels, bones, cartilages, gums, skin and teeth (5, 10)



Contents of active ingredients

Ingredients	1 tablet	2 tablets
L- Ascorbic acid (Vitamin C)	1000mg	2000mg
Maqui berry freeze-dried	150mg	300mg
Zinc	20mg	40mg

30 tablets pack

Net weight 39g e



Produced and packaged in via Agrate 21
Concorezzo (MB) - ITALY
Distribution by Proeon S.u.r.l.
www.proeon.it

EON-C IS A FOOD SUPPLEMENT UNIQUE FOR FORMULATION, DOSE AND QUALITY

- **formulation:** each tablet contains vitamin C, fruit of maqui and zinc in synergy

- **concentration:** each tablet contains 1000mg of vitamin C, 150mg of maqui and 20mg of zinc

- **reduced excipients:** in each 1300mg tablet there are 1170mg of active ingredients

INGREDIENTS

Ascorbic acid (vitamin C); maqui berry freeze dried [*Aristotelia Chilensis* (Mol.) Stuntz.]; microcrystalline cellulose; silicon dioxide; zinc gluconate; vegetable magnesium stearate

SERVING SIZE

1-2 tablets a day, preferably during meals

WARNINGS

Food supplements are not substitutes for a varied and balanced diet and a healthy lifestyle. Do not exceed the recommended daily dose. Keep out of reach from children under 3 years of age. Store in a cool, dry place, away from light

Eon-C is produced in Italy, notified to the Ministry of Health;
Eon-C is gluten-free, OGM-free, Vegan O and lactose free



BIBLIOGRAPHY

- 1) Vitamin C and Immune Function. Carr AC, Maggini S. Nutrients. 2017 Nov 3; 9(11):1211. doi:10.3390/nu9111211. PMID: 29099763; PMCID: PMC507683.
- 2) Anthocyanins in berries of Maqui (*Aristotelia chilensis* (Mol.) Stuntz) Maria Teresa Escribano-Bailón, Cristina Alcalde-Eon, Orlando Muñoz, Julián C Rivas-Gonzalo, Celestino Santos-Buelga. Phytochem Anal. 2006 Jan-Feb;17(1):8-14. doi: 10.1002/pea.872.
- 3) Maqui and Omega 3: effects on lipid profile, oxidative stress levels and psychophysical items in human subjects Cavezzi A, Corsi R, Dimitrova G, Colucci R, Paccasassi S, Quinzi V, Fioroni E, Campana F, Urso S, Mosti G. Discovery Phytomedicine 2017; Volume 4, Number 2: 26-30
- 4) Ascorbic acid: its role in immune system and chronic inflammation diseases.

- 5) Sorice A, Guerriero E, Capone F, Colonna G, Castello G, Costantini S. Mini Rev Med Chem. 2014 May;14(5):444-52. doi: 10.2174/1389557514666140428112602. PMID: 24766384.
- 6) Ascorbic acid and the biosynthesis of collagen and elastin. Barnes MJ. Bibl Nutr Dieta. 1969;13:86-98. doi: 10.1159/000385155. PMID: 4899166.
- 7) Vitamins and Minerals for Energy, Fatigue and Cognition: A Narrative Review of the Biochemical and Clinical Evidence. Tardy AL, Pouteau E, Marquez D, Yilmaz C, Scholey A. Nutrients. 2020 Jan 16;12(1):228. doi: 10.3390/nu12010228. PMID: 31963141; PMCID: PMC7019700.
- 8) Vitamin C: the nontoxic, nonrate-limited, antioxidant free radical scavenger. Cathcart RF. 3rd. Med Hypotheses. 1985 Sep;18(1):61-77. doi: 10.1016/0306-

- 9) 9877(85)90121-5. PMID: 4069036.
- 10) Feeding mitochondria: Potential role of nutritional components to improve critical illness convalescence. Wesselink E, Koekkoek WAC, Grefte S, Witkamp RF, van Zanten ARH. Clin Nutr. 2019 Jun;38(3):982-995. doi: 10.1016/j.clnu.2018.08.032. Epub 2018 Aug 31. PMID: 30201141.
- 11) Antioxidative and Anti-Inflammatory Activity of Ascorbic Acid. Cęgotek A, Skrzydlewska E. Antioxidants (Basel). 2022 Oct 7;11(10):1993. doi: 10.3390/antiox11101993. PMID: 36290716; PMCID: PMC9598715.
- 12) Role of vitamin C in the function of the vascular endothelium. May JM, Harrison FE. Antioxid Redox Signal. 2013 Dec 10;19(17):2068-83. doi: 10.1089/ars.2013.5205. Epub 2013 May 29. PMID: 23581713; PMCID: PMC3869438.